

Managing pests in affordable housing

Allison Taisey, BCE The Northeastern IPM Center **Cornell University**



🖔 www.StopPests.org 🖂 stoppests@cornell.edu 🔰 @StopPests 🖺 facebook.com/StopPests 🕞 youtube.com/user/StopPests


"One must change one's tactics every 10 years if one wishes to maintain one's superiority." ~Napoleon Bonaparte

🖞 www.StopPests.org 🖂 stoppests@cornell.edu 🔰 @StopPests 🛭 🛭 facebook.com/StopPests 🔼 youtube.com/user/StopPests

Today's topics


- **☀** Introductions & more topics
- * Review of what we know about IPM
- **★** Lessons learned last week
- **★**Discussion
- New resources
- *How to continue to improve your programs

🖔 www.StopPests.org 🛮 🖂 stoppests@cornell.edu 🔰 @StopPests 🖺 facebook.com/StopPests 📵 youtube.com/user/StopPests










IPM is not...

- Using only bait
- Applying more than one kind of pesticide
- A certain set of pesticides
- Using spices and herbs
- A service that can be contracted out






Principles

- "Think like the pest"
- Management is a continuous process
- Pest conducive conditions make pest vulnerable areas
 - If you build it they will come
 - Animals follow food
- LOCATION, LOCATION

 \(\frac{1}{2} \) www.StopPests.org
 \(\sum \) stoppests@cornell.edu
 \(\sum \) @StopPests
 \(\sum \) facebook.com/StopPests
 \(\sum \) youtube.com/user/StopPests
 \(\sum \) youtube.com




Lessons learned at the Nestlé-Purina Food Safety Symposium

☀ Don't blow or push. Suck.

🖔 www.StopPests.org 🖂 stoppests@cornell.edu 💆 @StopPests 🔞 facebook.com/StopPests 💿 youtube.com/user/StopPests

Lessons learned at the Nestlé-Purina Food Safety Symposium

- Understand the real vs. perceived pest pressure on your building
 - Lots of animals go into rodent bait stations and eat bait
 - Device location should be data driven—scratch where it itches



Lessons learned at the Nestlé-Purina Food Safety Symposium

- Develop the expertise to manage your own program—own your program
 - Do a data-driven review of current practices
 - Plot the data you are paying for
 - In-house training
 - · Give staff tools to speak the language of the vendor
 - · Sanitation is 85% of pest control
 - · People do right when the checker checks
 - Establish a "Gatekeeper"

🖔 www.StopPests.org 🖂 stoppests@cornell.edu 🔰 @StopPests 🖺 facebook.com/StopPests 💽 youtube.com/user/StopPests

Lessons learned at the Nestlé-Purina Food Safety Symposium


- **™** Word your contract carefully
 - Inspection time stated & enforced
 - Scratch where it itches
 - Reduce treatment time and re-allocate to inspection and communication—move your PMP off the wall

🖔 www.StopPests.org 🖂 stoppests@cornell.edu 🔰 @StopPests 🛭 facebook.com/StopPests 🔼 youtube.com/user/StopPests

IPM Log: data & documentation

- Applicator licenses
- Proof of insurance & business registration
- Contract/service agreement
- Potential notifications/ preparation instructions
- Product labels & SDS sheets
- Educational materials
- Trending reports

- Maps
- Service schedule
- Service log
 - Time
 - Units serviced
 - Detailed reports of any treatment
- Focus units




Nothing is hidden from pests

- **★**Think of....
- *A place at your work that is not inspectable or cleanable.
- *A way to make this spot more inspectable and cleanable.

🖔 www.StopPests.org 🖂 stoppests@cornell.edu 🔰 @StopPests 🖺 facebook.com/StopPests 💿 youtube.com/user/StopPests





Plan a scaled response ("treatment")

↑ www.StopPests.org

Stoppests@cornell.edu

© StopPests

Facebook.com/StopPests

O youtube.com/user/StopPests




Evaluate effectiveness Stoppests@cornell.edu © StopPests facebook.com/StopPests very youtube.com/user/StopPests very youtube.com/user/StopPest

Areas at-risk for introduction and infestation

- **★** Introduction is likely where people
 - frequently travel
 - set down personal belongings
 - sit or lay down for long periods of time
- ★Infestation is likely where bed bugs can
 - Crawl (upholstered furniture or bedding)
 - Feed on a person for 5 minutes without being detected
 - Hide in cracks or folds

🖔 www.StopPests.org 🖂 stoppests@cornell.edu 🔰 @StopPests 🖫 facebook.com/StopPests 💿 youtube.com/user/StopPests



Bed Bug Treatment Options

In-house options (minimum training)

- Encasement
- Monitoring
- ▼ Quick (15 min) visual inspection
- Steam
- Clothes Dryer
- Vacuum
- Heat chamber (FL model)
- Diatomaceous Earth (APPLICATOR'S LICENSE)

Leave it to the experts

- Canine inspection
- Whole-unit heat treatment
- Pesticide application
 - Spray
 - Dust
 - Fumigation
- Thorough inspection
- Active Monitoring
- Freezing

் w 🕳 st Resident training ரிது முற்ற இStopPests 📑 facebook.com/StopPests 🕞 youtube.com/user/StopPests









18.1.2 Rodent resistant building materials.

Rodent teeth are well adapted to gnawing through all but the hardest materials. Rats have been known to gnaw through lead. Rodent-resistant materials include concrete with a minimum thickness of 2 inches (5.1 cm) if reinforced, or 3.75 inches (9.5 cm) if not reinforced; galvanized sheet metal if 24 gauge or heavier for wall or pipe barriers, 22-gauge or heavier for kick plates or door edging, or 14-gauge if perforated or expanded sheet metal grills; brick if 3.75 inches (9.5 cm) thick with joints filled with mortar; hardware cloth (wire mesh) if woven, 19-gauge, 1/2- x 1/2-inch (1.3- x 1.3-cm) mesh to exclude rats or 24-gauge, 1/4- x 1/4-inch (0.6- x 0.6-cm) mesh to exclude mice; aluminum if 22-gauge for frames and flashing or 18-gauge for kick plates and guards; plaster; or corrugated metal.


Effective on:	Mice, Rats, Opossums, Raccoons, and Misc. Vertebrates None identified			
Compatibility Issues with Other Design Goals:				
References:	Hygnstrom et al., 1994			
			facebook.com/StopPests	youtube.com/user/StopPests

Exclusion: prevent pest entry and eliminate hiding spots


- Screens
- Netting
- Door sweeps
- Hardware cloth
- Caulking
- **★** Sealant
- Chimney cap
- **☀** Escutcheon plate
- **☀** Expandable foam

- Exterior lighting
- **★**Strip curtain
- Bird spikes
- Drainage
- ★ Wire gauze
- Sheet metal
- **★** Cement mortar
- **★** Air curtain
- Positive air pressure

🖔 www.StopPests.org 🖂 stoppests@cornell.edu 🔰 @StopPests 📳 facebook.com/StopPests 💿 youtube.com/user/StopPests







HUD's IPM guidances

- PIH 2011-22: Promotion of Integrated Pest Management (IPM)
- Notice H 2011-20/PIH 2012-17: Guidelines on Bed Bug Control





Prevent introduction and spread: residents

- *Keep coats, backpacks, purses, and bags off beds, recliners, and sofas at home and while out
- ★ Inspect used furniture carefully before bringing it home—avoid it if possible
- **☀** Look for signs when sleeping away from home

🖔 www.StopPests.org 🖂 stoppests@cornell.edu 🔰 @StopPests 📳 facebook.com/StopPests 💿 youtube.com/user/StopPests

Advice for staff, health aides, and contractors

★ In units:

- Avoid sitting or placing items on potentially infested surfaces
- Wear a protective layer when moving infested items
- ★ In the main office/community areas:
 - Replace fabric-covered furniture that has many crevices with plastic or metal items
 - Have residents set their belongings in plastic totes during meetings

🖔 www.StopPests.org 🛘 🖂 stoppests@cornell.edu 🔰 @StopPests 📳 facebook.com/StopPests 📵 youtube.com/user/StopPests

A lack of pests is your reward

- Pest prevention is the gold-standard
- Early detection and rapid response is the minimum requirement

🖔 www.StopPests.org 🖂 stoppests@cornell.edu 🔰 @StopPests 🔞 facebook.com/StopPests 💿 youtube.com/user/StopPests

In Summary

- **☀** Keep the area good for people and bad for pests.
- **☀** Get yourself some kneepads and a bright flashlight.

Thank You & Good Luck!

🖔 www.StopPests.org 🖂 stoppests@cornell.edu 🔰 @StopPests 📳 facebook.com/StopPests 🕟 youtube.com/user/StopPests